Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	155	717/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 10:57
S2	6	717/130.ccls. and \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/30 18:55
S3	11	replac\$5 with call with (int\$2 interrupt) with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/30 19:02
S4	0	"20010027383".URPN.	USPAT	OR	ON	2003/09/30 19:02
S5	0	replac\$5 with (int\$2 interrupt) with instruction with \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/30 19:03
S6	53	replac\$5 with (int interrupt) with call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/30 19:27
S7	10	drake-christopher\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:20
S8	0	replac\$5 with instruction with length with pad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:21
S9	93	replac\$5 with instruction with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:37
S10	0	replac\$5 with instruction with size same hole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:38



			sco. <u>,</u>			
S11	1	replac\$5 with instruction with length same hole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:38
S12	13	replac\$5 with instruction with (size length byte) same (compact shrink shift)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 07:42
S13	22	replac\$5 with instruction with shorter .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:33
S14	253	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:34
S15	113	717/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:34
S16	216	717/127.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:34
S17	185	717/131.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S18	147	713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S19	104	713/188.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S20	398	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37

						
S21	137	713/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S22	580	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S23	178	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 08:37
S24	6	(("5134701") or ("5313616") or ("5335344") or ("5386471") or ("5603045") or ("5721945")).PN.	USPAT; USOCR	OR	OFF	2003/10/01 08:40
S25	3	(("5710724") or ("5604895") or ("5574854")).PN.	USPAT; USOCR	OR	OFF	2003/10/01 08:48
S26	280	717/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S27	11	717/130.ccls. and \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S28	12	replac\$5 with call with (int\$2 interrupt) with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S29	0	replac\$5 with (int\$2 interrupt) with instruction with \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S30	60	replac\$5 with (int interrupt) with call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S31	12	drake-christopher\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58

			•			
S32	0	replac\$5 with instruction with length with pad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S33	122	replac\$5 with instruction with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S34	2	replac\$5 with instruction with size same hole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S35	1	replac\$5 with instruction with length same hole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S36	15	replac\$5 with instruction with (size length byte) same (compact shrink shift)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S37	46	replac\$5 with instruction with shorter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S38	493	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S39	183	717/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S40	367	717/127.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S41	292	717/131.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58

S42	202	713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S43	163	713/188.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S44	673	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S45	190	713/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S46	988	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S47	274	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:58
S48	11	replac\$5 with call with instruction with (int interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:54
S49	61	replac\$5 with call with (int interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:02
S50	44	("6006328").URPN.	USPAT	OR	ON	2005/07/12 15:59
S51	158	replac\$5 with instruction with (int interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:03

S52	22	replac\$5 with instruction with (int interrupt) same stor\$3 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:03
S53	24	encrypt\$3 with (code program instruction) with jump\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:39
S54	2	("6205550").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:51
S55	2	("6006328").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:51
S56	50	("6006328").URPN.	USPAT	OR	ON	2005/12/15 09:52
S57	6	(US-4439828-\$ or US-5852729-\$ or US-6405316-\$ or US-6141698-\$ or US-6266416-\$ or US-6665797-\$). did.	USPAT	OR	ON	2005/12/15 13:08
S58	648	stor\$3 with target with address with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:09
S59	5	stor\$3 with target with address with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:11
S60	1	2002-009944.NRAN.	DERWENT	OR	ON	2005/12/15 13:11
S61	101	stor\$3 with address with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:11
S62	2	stor\$3 with entry adj1 point with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:13

			-			
S63	6	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:15
S64	15	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:20
S65	162	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:25
S66	65	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:38
S67	6	stor\$3 with (target near2 address) with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:39
S68	1	stor\$3 with jump\$3 with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:40
S69	3	stor\$3 with jump\$3 with table same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:50
S70	321	stor\$3 with (entry\$1point (entry adj1 point)) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:30
S71	23	stor\$3 with (entry\$1point (entry adj1 point)) with table and (obfuscat\$3 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:54
S72	2	"5495612".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:25

			sco. y			
S73	11	drake-christopher-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:31
S74	182	(entry start\$3 target) near2 address with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:47
S75	0	"address is encrypted" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:48
S76	1569	address near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:57
S77	18	entry adj1 point near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:58
S78	273	entry with table with address with jump\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:43
S79	42	(entry\$1point (entry adj1 point)) with decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:45
S80	1408	(entry\$1point (entry adj1 point)) near4 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:46
S81	937	(entry\$1point (entry adj1 point)) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:46
S82	319	(entry\$1point (entry adj1 point)) near2 table and (secur\$3 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:17

			•			
S83	112	target with address with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 14:54
S84	14	target with address with encrypt\$3 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 14:56
S85	119	address with encrypt\$3 with stor\$3 with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 14:59
S86	4	address with encrypt\$3 with stor\$3 and address with replac\$4 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:06
S87	161	maliszewski.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:07
S88	20	maliszewski-richard-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:16
S89	2	replac\$5 with instruction with address with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:16
S90	763	(entry\$1point (entry adj1 point)) with (secur\$3 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:17
S91	31	(entry\$1point (entry adj1 point)) with (secur\$3 encrypt\$3) and replac\$5 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:33
S92	269	713/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:35

	-			1		·
S93	395	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:34
S94	369	726/27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:34
S95	77	S92 and encrypt\$3 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:45
S96	56	S93 and encrypt\$3 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:48
S97	23	S94 and encrypt\$3 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 15:48
S98	7	(target with address with encrypt\$3).clm.	US-PGPUB	OR	ON	2006/07/05 10:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	264	717/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 12:36

